



D²HAND

DESIGN AND MANUFACTURE FOR
ORTHOPEDIC SURGERY




DELPHOS
Implants

Embracing Life™

CONTENTS

System Overview	03
1,2mm Regular Hand Plate System	
1,2mm Screws	04
1,2mm Plates	05
1,2mm Dedicated Instrumental	06
1,6mm Regular Hand Plate System	
1,6mm Screws	08
1,6mm Plates	09
1,6mm Dedicated Instrumental	10
2,0mm Regular Hand Plate System	
2,0mm Screws	12
2,0mm Plates	13
2,0mm Dedicated Instrumental	14
2,4mm Regular Hand Plate System	
2,4mm Screws	16
2,4mm Plates	17
2,4mm Dedicated Instrumental	18
Instrumental Set System	20



SYSTEM OVERVIEW

1



2



ONE TRAY
FOUR SYSTEMS
ALL LOCKING

3



1,2 mm

REGULAR HAND PLATE SYSTEM



Self-tapping 1,2 mm screw

Parafuso autorroscante 1,2 mm
Vis autotaraudante 1,2 mm
Tornillo autorroscante 1,2 mm




Self-tapping locking 1,2 mm screw

Parafuso de bloqueio autorroscante 1,2 mm
Vis de blocage autotaraudante 1,2 mm
Tornillo de bloqueo autorroscante 1,2 mm




Self-tapping LAG 1,2 mm screw

Parafuso LAG autorroscante 1,2 mm
Vis LAG autotaraudante 1,2 mm
Tornillo LAG autorroscante 1,2 mm




1,2 mm
Ø thread

- DTH-1204-265 - 4 mm lenght
- DTH-1205-265 - 5 mm lenght
- DTH-1206-265 - 6 mm lenght
- DTH-1207-265 - 7 mm lenght
- DTH-1208-265 - 8 mm lenght
- DTH-1209-265 - 9 mm lenght
- DTH-1210-265 - 10 mm lenght
- DTH-1211-265 - 11 mm lenght
- DTH-1212-265 - 12 mm lenght
- DTH-1213-265 - 13 mm lenght
- DTH-1214-265 - 14 mm lenght
- DTH-1216-265 - 16 mm lenght
- DTH-1218-265 - 18 mm lenght



1,2 mm
Ø thread

- DTH-1204-265K - 4 mm lenght
- DTH-1205-265K - 5 mm lenght
- DTH-1206-265K - 6 mm lenght
- DTH-1207-265K - 7 mm lenght
- DTH-1208-265K - 8 mm lenght
- DTH-1209-265K - 9 mm lenght
- DTH-1210-265K - 10 mm lenght
- DTH-1211-265K - 11 mm lenght
- DTH-1212-265K - 12 mm lenght
- DTH-1213-265K - 13 mm lenght
- DTH-1214-265K - 14 mm lenght
- DTH-1216-265K - 16 mm lenght
- DTH-1218-265K - 18 mm lenght




1,2 mm
Ø thread

- DTH-1206-365 - 6 mm lenght
- DTH-1207-365 - 7 mm lenght
- DTH-1208-365 - 8 mm lenght
- DTH-1209-365 - 9 mm lenght
- DTH-1210-365 - 10 mm lenght
- DTH-1211-365 - 11 mm lenght
- DTH-1212-365 - 12 mm lenght
- DTH-1213-365 - 13 mm lenght
- DTH-1214-365 - 14 mm lenght
- DTH-1216-365 - 16 mm lenght
- DTH-1218-365 - 18 mm lenght

Thickness: 0,6 mm
Plates scale: 1/1

Thickness: 0,8 mm
Plates scale: 1/1


1,2 mm



DTH-0602-41K Thickness: 0,6mm

DTH-0802-41K Thickness: 0,8mm


Avulsion fracture Hook locking plate 1,2mm
Placa Hook 1,2mm de fratura por avulsão com bloqueio
Plaque Hook fracture avulsion avec blocage 1,2mm
Placa Hook 1,2mm para fratura por avulsión con bloqueio



DTH-0603-41K Thickness: 0,6mm

DTH-0803-41K Thickness: 0,8mm


T Locking Plate 1,2mm - 3 x 8 holes
Placa 1,2mm em T com bloqueio - 3x8 furos
Plaque 1,2mm en T avec blocage - 3x8 trous
Placa de bloqueio en T 1,2mm - 3x8 agujeros



DTH-0604-41K Thickness: 0,6mm

DTH-0804-41K Thickness: 0,8mm

T Locking Plate 1,2mm - 4 x 8 holes
Placa 1,2mm em T com bloqueio - 4x8 furos
Plaque 1,2mm en T avec blocage - 4x8 trous
Placa de bloqueio en T 1,2mm - 4x8 agujeros



DTH-0621-41K Thickness: 0,6mm

DTH-0821-41K Thickness: 0,8mm

Y Locking Plate 1,2mm
Placa 1,2mm em Y com bloqueio
Plaque 1,2mm en Y avec blocage
Placa de bloqueio en Y 1,2mm



DTH-0606-41K Thickness: 0,6mm

DTH-0806-41K Thickness: 0,8mm


Straight Locking Plate 1,2mm - 6 holes
Placa 1,2mm Reta com Bloqueio - 6 furos
Plaque 1,2mm droite avec blocage - 6 trous
Placa de bloqueio recta 1,2 mm - 6 agujeros



DTH-0612-41K Thickness: 0,6mm

DTH-0812-41K Thickness: 0,8mm


Straight Locking Plate 1,2mm - 12 holes
Placa 1,2mm Reta com Bloqueio - 12 furos
Plaque 1,2mm droite avec blocage - 12 trous
Placa de bloqueio recta 1,2 mm - 12 agujeros



DTH-0660-41K Thickness: 0,6mm

DTH-0860-41K Thickness: 0,8mm


L Locking Plate 1,2mm -LEFT
Placa 1,2mm em L com bloqueio - esquerda
Plaque 1,2mm en L avec blocage - gauche
Placa de bloqueio en L 1,2mm - izquierda



DTH-0662-41K Thickness: 0,6mm

DTH-0862-41K Thickness: 0,8mm


L Locking Plate 1,2mm -RIGHT
Placa 1,2mm em L com bloqueio - direita
Plaque 1,2mm en L avec blocage - droit
Placa de bloqueio en L 1,2mm - derecha



DTH-0670-41K Thickness: 0,6mm

DTH-0870-41K Thickness: 0,8mm

Grid Locking Plate 1,2mm - LEFT
Placa 1,2mm em rede com bloqueio - esquerda
Plaque 1,2mm de maille avec blocage - gauche
Placa de bloqueio malla 1,2mm - izquierda




DTH-0672-41K Thickness: 0,6mm

DTH-0872-41K Thickness: 0,8mm

Grid Locking Plate 1,2mm - RIGHT
Placa 1,2mm em rede com bloqueio - direita
Plaque 1,2mm de maille avec blocage - droit
Placa de bloqueio malla 1,2mm - derecha

1,2 mm



SK-NCT05-812
for screws Ø 1,2 mm

1,2 BLADE
lâmina 1,2
lame 1,2
hoja 1,2






SK-1200-800

SCREWDRIVER SLEEVE 1,2
Guia de parafuso 1,2
Guide de vis 1,2
Guía de tornillo 1,2



SK-1216-813

COUNTERSINK 1,2 + 1,6



1,2 mm



DRILL
J-Latch connection

SK-1034-815
Ø 1,0 mm
34 mm stop




DRILL
AO connection

SK-1012-814
Ø 1,0 mm
12 mm stop




SCREW TAP
AO connection

SK-0012-835
Ø 1,2 mm



0,8 mm Plates

DAH-1200-801
Hand system 1,2 mm tray
(tray sold empty)



0,6 mm Plates

1,6 mm

REGULAR HAND PLATE SYSTEM



compression holes

locking holes

0,6 mm & 0,8 mm thickness plates

 0,6 mm

 0,8 mm



Self-tapping 1,6 mm screw

Parafuso autorroscante 1,6 mm
Vis autotaraudante 1,6 mm
Tornillo autorroscante 1,6 mm



Self-tapping locking 1,6 mm screw


Parafuso de bloqueio autorroscante 1,6 mm
Vis de bloqueio autotaraudante 1,6 mm
Tornillo de bloqueio autorroscante 1,6 mm



Self-tapping LAG 1,6 mm screw


Parafuso LAG autorroscante 1,6 mm
Vis LAG autotaraudante 1,6 mm
Tornillo LAG autorroscante 1,6 mm

atraumatic tip




1,6 mm
Ø thread

- DTH-1604-265** - 4 mm lenght
- DTH-1605-265** - 5 mm lenght
- DTH-1606-265** - 6 mm lenght
- DTH-1607-265** - 7 mm lenght
- DTH-1608-265** - 8 mm lenght
- DTH-1609-265** - 9 mm lenght
- DTH-1610-265** - 10 mm lenght
- DTH-1611-265** - 11 mm lenght
- DTH-1612-265** - 12 mm lenght
- DTH-1613-265** - 13 mm lenght
- DTH-1614-265** - 14 mm lenght
- DTH-1616-265** - 16 mm lenght
- DTH-1618-265** - 18 mm lenght
- DTH-1620-265** - 20 mm lenght
- DTH-1622-265** - 22 mm lenght
- DTH-1624-265** - 24 mm lenght



1,6 mm
Ø thread

- DTH-1604-265K** - 4 mm lenght
- DTH-1605-265K** - 5 mm lenght
- DTH-1606-265K** - 6 mm lenght
- DTH-1607-265K** - 7 mm lenght
- DTH-1608-265K** - 8 mm lenght
- DTH-1609-265K** - 9 mm lenght
- DTH-1610-265K** - 10 mm lenght
- DTH-1611-265K** - 11 mm lenght
- DTH-1612-265K** - 12 mm lenght
- DTH-1613-265K** - 13 mm lenght
- DTH-1614-265K** - 14 mm lenght
- DTH-1616-265K** - 16 mm lenght
- DTH-1618-265K** - 18 mm lenght
- DTH-1620-265K** - 20 mm lenght
- DTH-1622-265K** - 22 mm lenght
- DTH-1624-265K** - 24 mm lenght




1,6 mm
Ø thread

- DTH-1606-365** - 6 mm lenght
- DTH-1607-365** - 7 mm lenght
- DTH-1608-365** - 8 mm lenght
- DTH-1609-365** - 9 mm lenght
- DTH-1610-365** - 10 mm lenght
- DTH-1611-365** - 11 mm lenght
- DTH-1612-365** - 12 mm lenght
- DTH-1613-365** - 13 mm lenght
- DTH-1614-365** - 14 mm lenght
- DTH-1616-365** - 16 mm lenght
- DTH-1618-365** - 18 mm lenght
- DTH-1620-365** - 20 mm lenght
- DTH-1622-365** - 22 mm lenght
- DTH-1624-365** - 24 mm lenght


Thickness: 0,6 mm
Plates scale: 1/1

Thickness: 0,8 mm
Plates scale: 1/1

1,6 mm



DTH-0603-51K Thickness: 0,6mm
DTH-0803-51K Thickness: 0,8mm
T Locking Plate 1,6mm - 3 x 8 holes
Placa 1,6mm em T com bloqueio - 3x8 furos
Plaque 1,6mm en T avec blocage - 3x8 trous
Placa de bloqueo en T 1,6mm - 3x8 agujeros




DTH-0605-70K Thickness: 0,6mm
DTH-0805-70K Thickness: 0,8mm
Subcondylar Locking Plate 1,6mm
Placa 1,6mm Subcondilar com bloqueio
Plaque 1,6mm Subcondyle avec blocage
Placa de bloqueo subcondilar 1,6 mm




DTH-0606-51K Thickness: 0,6mm
DTH-0806-51K Thickness: 0,8mm
Straight Locking Plate 1,6mm - 6 Holes
Placa 1,6mm Reta com Bloqueio - 6 furos
Plaque 1,6mm droite avec blocage - 6 trous
Placa de bloqueo recta 1,6 mm - 6 agujeros




DTH-0660-51K Thickness: 0,6mm
DTH-0860-51K Thickness: 0,8mm
L Locking Plate 1,6mm - LEFT
Placa 1,6mm em L com bloqueio - esquerda
Plaque 1,6mm en L avec blocage - gauche
Placa de bloqueo en L 1,6mm - izquierda




DTH-0670-51K Thickness: 0,6mm
DTH-0870-51K Thickness: 0,8mm
Grid Locking Plate 1,6mm - LEFT
Placa 1,6mm em rede com bloqueio - esquerda
Plaque 1,6mm de maille avec blocage - gauche
Placa de bloqueo malla 1,6mm - izquierda



DTH-0621-31K Thickness: 0,6mm
DTH-0821-31K Thickness: 0,8mm
Condylar Locking Plate 1,6mm - LEFT
Placa 1,6mm Condilar com bloqueio - esquerda
Plaque 1,6mm Condyle avec blocage - gauche
Placa de bloqueo condilar 1,6 mm - izquierda




DTH-0604-51K Thickness: 0,6mm
DTH-0804-51K Thickness: 0,8mm
T Locking Plate 1,6mm - 4 x 8 holes
Placa 1,6mm em T com bloqueio - 4x8 furos
Plaque 1,6mm en T avec blocage - 4x8 trous
Placa de bloqueo en T 1,6mm - 4x8 agujeros




DTH-0621-51K Thickness: 0,6mm
DTH-0821-51K Thickness: 0,8mm
Y Locking Plate 1,6mm
Placa 1,6mm em Y com bloqueio
Plaque 1,6mm en Y avec blocage
Placa de bloqueo en Y 1,6mm




DTH-0612-51K Thickness: 0,6mm
DTH-0812-51K Thickness: 0,8mm
Straight Locking Plate 1,6mm - 12 Holes
Placa 1,6mm Reta com Bloqueio - 12 furos
Plaque 1,6mm droite avec blocage - 12 trous
Placa de bloqueo recta 1,6 mm - 12 agujeros





DTH-0662-51K Thickness: 0,6mm
DTH-0862-51K Thickness: 0,8mm
L Locking Plate 1,6mm - RIGHT
Placa 1,6mm em L com bloqueio - direita
Plaque 1,6mm en L avec blocage - droit
Placa de bloqueo en L 1,6mm - derecha



DTH-0672-51K Thickness: 0,6mm
DTH-0872-51K Thickness: 0,8mm
Grid Locking Plate 1,6mm - RIGHT
Placa 1,6mm em rede com bloqueio - direita
Plaque 1,6mm de maille avec blocage - droit
Placa de bloqueo malla 1,6mm - derecha




DTH-0623-31K Thickness: 0,6mm
DTH-0823-31K Thickness: 0,8mm
Condylar Locking Plate 1,6mm - RIGHT
Placa 1,6mm Condilar com bloqueio - direita
Plaque 1,6mm Condyle avec blocage - droit
Placa de bloqueo condilar 1,6 mm - derecha



DTH-0602-51K Thickness: 0,6mm
DTH-0802-51K Thickness: 0,8mm
Avulsion fracture Hook locking plate 1,6mm
Placa Hook 1,6mm de fratura por avulsão com bloqueio
Plaque Hook fracture avulsion avec blocage 1,6mm
Placa Hook 1,6mm para fratura por avulsión con bloqueio



1,6 mm



SK-NCT05-816
for screws Ø 1,6 mm

1,6 BLADE
lâmina 1,6
lame 1,6
hoja 1,6



SK-1600-800


SCREWDRIVER SLEEVE 1,6

Guia de parafuso 1,6
Guide de vis 1,6
Guía de tornillo 1,6



SK-1216-813

COUNTERSINK 1,2 + 1,6



1,6 mm



DRILLS
J-Latch connection

SK-1340-815
Ø 1,3 mm
40 mm stop

SK-1552-815
Ø 1,5 mm
52 mm stop



SCREW TAP
AO connection


DRILLS
AO connection

SK-1426-814
Ø 1,4 mm
26 mm stop

SK-1530-814
Ø 1,5 mm
30 mm stop

SK-0016-835
Ø 1,6 mm

0,8 mm Plates




DAH-1600-801
Hand system 1,6 mm tray

(tray sold empty)

0,6 mm Plates

2,0 mm

REGULAR HAND PLATE SYSTEM



compression holes

locking holes

1,0 mm thickness plates



Self-tapping 2,0 mm screw

Parafuso autorroscante 2,0 mm
Vis autotaraudante 2,0 mm
Tornillo autorroscante 2,0 mm



Self-tapping locking 2,0 mm screw


Parafuso de bloqueio autorroscante 2,0 mm
Vis de bloqueio autotaraudante 2,0 mm
Tornillo de bloqueio autorroscante 2,0 mm



Self-tapping LAG 2,0 mm screw


Parafuso LAG autorroscante 2,0 mm
Vis LAG autotaraudante 2,0 mm
Tornillo LAG autorroscante 2,0 mm

atraumatic tip




2,0 mm
Ø thread

DTH-2006-265	- 6 mm lenght
DTH-2007-265	- 7 mm lenght
DTH-2008-265	- 8 mm lenght
DTH-2009-265	- 9 mm lenght
DTH-2010-265	- 10 mm lenght
DTH-2011-265	- 11 mm lenght
DTH-2012-265	- 12 mm lenght
DTH-2013-265	- 13 mm lenght
DTH-2014-265	- 14 mm lenght
DTH-2016-265	- 16 mm lenght
DTH-2018-265	- 18 mm lenght
DTH-2020-265	- 20 mm lenght
DTH-2022-265	- 22 mm lenght
DTH-2024-265	- 24 mm lenght
DTH-2026-265	- 26 mm lenght
DTH-2028-265	- 28 mm lenght
DTH-2030-265	- 30 mm lenght
DTH-2032-265	- 32 mm lenght
DTH-2034-265	- 34 mm lenght
DTH-2036-265	- 36 mm lenght



2,0 mm
Ø thread

DTH-2006-265K	- 6 mm lenght
DTH-2007-265K	- 7 mm lenght
DTH-2008-265K	- 8 mm lenght
DTH-2009-265K	- 9 mm lenght
DTH-2010-265K	- 10 mm lenght
DTH-2011-265K	- 11 mm lenght
DTH-2012-265K	- 12 mm lenght
DTH-2013-265K	- 13 mm lenght
DTH-2014-265K	- 14 mm lenght
DTH-2016-265K	- 16 mm lenght
DTH-2018-265K	- 18 mm lenght
DTH-2020-265K	- 20 mm lenght
DTH-2022-265K	- 22 mm lenght
DTH-2024-265K	- 24 mm lenght
DTH-2026-265K	- 26 mm lenght
DTH-2028-265K	- 28 mm lenght
DTH-2030-265K	- 30 mm lenght
DTH-2032-265K	- 32 mm lenght
DTH-2034-265K	- 34 mm lenght
DTH-2036-265K	- 36 mm lenght




2,0 mm
Ø thread

DTH-2006-365	- 6 mm lenght
DTH-2007-365	- 7 mm lenght
DTH-2008-365	- 8 mm lenght
DTH-2009-365	- 9 mm lenght
DTH-2010-365	- 10 mm lenght
DTH-2011-365	- 11 mm lenght
DTH-2012-365	- 12 mm lenght
DTH-2013-365	- 13 mm lenght
DTH-2014-365	- 14 mm lenght
DTH-2016-365	- 16 mm lenght
DTH-2018-365	- 18 mm lenght
DTH-2020-365	- 20 mm lenght
DTH-2022-365	- 22 mm lenght
DTH-2024-365	- 24 mm lenght
DTH-2026-365	- 26 mm lenght
DTH-2028-365	- 28 mm lenght
DTH-2030-365	- 30 mm lenght
DTH-2032-365	- 32 mm lenght
DTH-2034-365	- 34 mm lenght
DTH-2036-365	- 36 mm lenght


Thickness: 1,0 mm
Plates scale: 1/1

2,0 mm





DTH-1021-61K

Y Locking Plate 2,0mm
Placa 2,0mm em Y com bloqueio
Plaque 2,0mm en Y avec blocage
Placa de bloqueo en Y 2,0mm




DTH-1003-61K

T Locking Plate 2,0mm 3 x 8 holes
Placa 2,0mm em T com bloqueio - 3x8 furos
Plaque 2,0mm en T avec blocage - 3x8 trous
Placa de bloqueo en T 2,0mm - 3x8 agujeros




DTH-1005-70K

Subcondylar Locking Plate 2,0mm
Placa 2,0mm Subcondilar com bloqueio
Plaque 2,0mm Subcondyle avec blocage
Placa de bloqueo subcondilar 2,0 mm




DTH-1002-61K

T Locking Plate 2,0mm - 2 x 8 holes
Placa 2,0mm em T com bloqueio - 2x8 furos
Plaque 2,0mm en T avec blocage - 2x8 trous
Placa de bloqueo en T 2,0mm - 2x8 agujeros



oblong compression holes
only for cortical screws




DTH-1006-61K

Straight Locking Plate 2,0mm - 6 Holes
Placa 2,0mm Reta com Bloqueio - 6 furos
Plaque 2,0mm droite avec blocage - 6 trous
Placa de bloqueo recta 2,0 mm - 6 agujeros




DTH-1012-61K

Straight Locking Plate 2,0mm - 12 Holes
Placa 2,0mm Reta com Bloqueio - 12 furos
Plaque 2,0mm droite avec blocage - 12 trous
Placa de bloqueo recta 2,0 mm - 12 agujeros




DTH-1060-61K

L Locking Plate 2,0mm - **LEFT**
Placa 2,0mm em L com bloqueio - **esquerda**
Plaque 2,0mm en L avec blocage - **gauche**
Placa de bloqueo en L 2,0mm - **izquierda**




DTH-1062-61K

L Locking Plate 2,0mm - **RIGHT**
Placa 2,0mm em L com bloqueio - **direita**
Plaque 2,0mm en L avec blocage - **droit**
Placa de bloqueo en L 2,0mm - **derecha**




DTH-1021-31K

Condylar Locking Plate 2,0mm - **LEFT**
Placa 2,0mm Condilar com bloqueio - **esquerda**
Plaque 2,0mm Condyle avec blocage - **gauche**
Placa de bloqueo condilar 2,0 mm - **izquierda**



DTH-1023-31K

Condylar Locking Plate 2,0mm - **RIGHT**
Placa 2,0mm Condilar com bloqueio - **direita**
Plaque 2,0mm Condyle avec blocage - **droit**
Placa de bloqueo condilar 2,0 mm - **derecha**




DTH-1081-61K

Z Locking Plate 2,0mm
Placa 2,0mm em Z com bloqueio
Plaque 2,0mm en Z avec blocage
Placa de bloqueo en Z 2,0mm




2,0mm

Thickness: 1,0 mm
Plates scale: 1/1




DTH-1070-61K

Grid Locking Plate 2,0mm - **LEFT**
Placa 2,0mm em rede com bloqueio - **esquerda**
Plaque 2,0mm de maille avec blocage - **gauche**
Placa de bloqueo malla 2,0mm - **izquierda**




DTH-1072-61K

Grid Locking Plate 2,0mm - **RIGHT**
Placa 2,0mm em rede com bloqueio - **direita**
Plaque 2,0mm de maille avec blocage - **droit**
Placa de bloqueo malla 2,0mm - **derecha**




DTH-1004-60K

Straight LCP* 2,0mm - 4 Holes
Placa 2,0mm reta LCP* - 4 furos
Plaque 2,0mm LCP* droite - 4 trous
Placa recta LCP* 2,0mm - 4 agujeros



DTH-1006-60K


Straight LCP* 2,0mm - 6 Holes
Placa 2,0mm reta LCP* - 6 furos
Plaque 2,0mm LCP* droite - 6 trous
Placa recta LCP* 2,0mm - 6 agujeros



DTH-1008-60K

Straight LCP* 2,0mm - 8 Holes
Placa 2,0mm reta LCP* - 8 furos
Plaque 2,0mm LCP* droite - 8 trous
Placa recta LCP* 2,0mm - 8 agujeros

*LCP: Local Compression Plate



SK-NCT06-820
for screws Ø 2,0 mm

2,0 BLADE
lâmina 2,0
lame 2,0
hoja 2,0



SK-2024-813


COUNTERSINK 2,0 + 2,4



SK-2000-800


SCREWDRIVER SLEEVE 2,0

Guia de parafuso 2,0
Guide de vis 2,0
Guía de tornillo 2,0



2,0 mm

DRILLS J-Latch connection



SK-1552-815
Ø 1,5 mm
52 mm stop

SK-2052-815
Ø 2,0 mm
52 mm stop

DRILLS AO connection



SK-1530-814
Ø 1,5 mm
30 mm stop

SK-1530-814L
Ø 1,5 mm
30 mm stop
LONG


SK-2030-814
Ø 2,0 mm
30 mm stop

SK-2050-814
Ø 2,0 mm
50 mm stop

SK-0020-835
Ø 2,0 mm

SCREW TAP AO connection

extra space




DAH-2000-801 Hand system 2,0 mm tray

(tray sold empty)

2,4mm

REGULAR HAND PLATE SYSTEM



compression holes

locking holes

1,3 mm thickness plates



Self-tapping 2,4 mm screw

Parafuso autorroscante 2,4 mm
Vis autotaraudante 2,4 mm
Tornillo autorroscante 2,4 mm



Self-tapping locking 2,4 mm screw


Parafuso de bloqueio autorroscante 2,4 mm
Vis de blocage autotaraudante 2,4 mm
Tornillo de bloqueo autorroscante 2,4 mm



Self-tapping LAG 2,4 mm screw


Parafuso LAG autorroscante 2,4 mm
Vis LAG autotaraudante 2,4 mm
Tornillo LAG autorroscante 2,4 mm

atraumatic tip




2,4 mm
Ø thread

- DTH-2406-265** - 6 mm lenght
- DTH-2407-265** - 7 mm lenght
- DTH-2408-265** - 8 mm lenght
- DTH-2409-265** - 9 mm lenght
- DTH-2410-265** - 10 mm lenght
- DTH-2411-265** - 11 mm lenght
- DTH-2412-265** - 12 mm lenght
- DTH-2413-265** - 13 mm lenght
- DTH-2414-265** - 14 mm lenght
- DTH-2416-265** - 16 mm lenght
- DTH-2418-265** - 18 mm lenght
- DTH-2420-265** - 20 mm lenght
- DTH-2422-265** - 22 mm lenght
- DTH-2424-265** - 24 mm lenght
- DTH-2426-265** - 26 mm lenght
- DTH-2428-265** - 28 mm lenght
- DTH-2430-265** - 30 mm lenght
- DTH-2432-265** - 32 mm lenght
- DTH-2434-265** - 34 mm lenght
- DTH-2436-265** - 36 mm lenght




2,4 mm
Ø thread

- DTH-2406-265K** - 6 mm lenght
- DTH-2407-265K** - 7 mm lenght
- DTH-2408-265K** - 8 mm lenght
- DTH-2409-265K** - 9 mm lenght
- DTH-2410-265K** - 10 mm lenght
- DTH-2411-265K** - 11 mm lenght
- DTH-2412-265K** - 12 mm lenght
- DTH-2413-265K** - 13 mm lenght
- DTH-2414-265K** - 14 mm lenght
- DTH-2416-265K** - 16 mm lenght
- DTH-2418-265K** - 18 mm lenght
- DTH-2420-265K** - 20 mm lenght
- DTH-2422-265K** - 22 mm lenght
- DTH-2424-265K** - 24 mm lenght
- DTH-2426-265K** - 26 mm lenght
- DTH-2428-265K** - 28 mm lenght
- DTH-2430-265K** - 30 mm lenght
- DTH-2432-265K** - 32 mm lenght
- DTH-2434-265K** - 34 mm lenght
- DTH-2436-265K** - 36 mm lenght




2,4 mm
Ø thread

- DTH-2406-365** - 6 mm lenght
- DTH-2407-365** - 7 mm lenght
- DTH-2408-365** - 8 mm lenght
- DTH-2409-365** - 9 mm lenght
- DTH-2410-365** - 10 mm lenght
- DTH-2411-365** - 11 mm lenght
- DTH-2412-365** - 12 mm lenght
- DTH-2413-365** - 13 mm lenght
- DTH-2414-365** - 14 mm lenght
- DTH-2416-365** - 16 mm lenght
- DTH-2418-365** - 18 mm lenght
- DTH-2420-365** - 20 mm lenght
- DTH-2422-365** - 22 mm lenght
- DTH-2424-365** - 24 mm lenght
- DTH-2426-365** - 26 mm lenght
- DTH-2428-365** - 28 mm lenght
- DTH-2430-365** - 30 mm lenght
- DTH-2432-365** - 32 mm lenght
- DTH-2434-365** - 34 mm lenght
- DTH-2436-365** - 36 mm lenght




Thickness: 1,3 mm
Plates scale: 1/1

2,4mm




DTH-1321-60K

Y Locking Plate 2,4mm
Placa 2,4mm em Y com bloqueio
Plaque 2,4mm en Y avec blocage
Placa de bloqueo en Y 2,4mm




DTH-1303-61K

T Locking Plate 2,4mm - 3 x 8 holes
Placa 2,4mm em T com bloqueio - 3x8 furos
Plaque 2,4mm en T avec blocage - 3x8 trous
Placa de bloqueo en T 2,4mm - 3x8 agujeros



DTH-1305-70K

Subcondylar Locking Plate 2,4mm
Placa 2,4mm Subcondilar com bloqueio
Plaque 2,4mm Subcondyle avec blocage
Placa de bloqueo subcondilar 2,4mm



DTH-1302-61K

T Locking Plate 2,4mm - 2 x 8 holes
Placa 2,4mm em T com bloqueio - 2x8 furos
Plaque 2,4mm en T avec blocage - 2x8 trous
Placa de bloqueo en T 2,4mm - 2x8 agujeros




DTH-1306-61K

Straight Locking Plate 2,4mm - 6 holes
Placa 2,4mm Reta com bloqueio - 6 furos
Plaque 2,4mm droite avec blocage - 6 trous
Placa de bloqueo recta 2,4 mm - 6 agujeros




DTH-1312-61K

Straight Locking Plate 2,4mm - 12 holes
Placa 2,4 mm Reta com bloqueio - 12 furos
Plaque 2,4mm droite avec blocage - 12 trous
Placa de bloqueo recta 2,4 mm - 12 agujeros




DTH-1360-61K

L Locking Plate 2,4mm - LEFT
Placa 2,4mm em L com bloqueio - esquerda
Plaque 2,4mm en L avec blocage - gauche
Placa de bloqueo en L 2,4mm - izquierda




DTH-1362-61K

L Locking Plate 2,4mm - RIGHT
Placa 2,4mm em L com bloqueio - direita
Plaque 2,4mm en L avec blocage - droit
Placa de bloqueo en L 2,4mm - derecha




DTH-1321-61K

Condylar Locking Plate 2,4mm - LEFT
Placa 2,4mm Condilar com bloqueio - esquerda
Plaque 2,4mm Condyle avec blocage - gauche
Placa de bloqueo condilar 2,4 mm - izquierda



DTH-1323-61K

Condylar Locking Plate 2,4mm - RIGHT
Placa 2,4mm Condilar com bloqueio - direita
Plaque 2,4mm Condyle avec blocage - droit
Placa de bloqueo condilar 2,4 mm - derecha




DTH-1381-61K

Z Locking Plate 2,4mm
Placa 2,4mm em Z com bloqueio
Plaque 2,4mm en Z avec blocage
Placa de bloqueo en Z 2,4mm




2,4mm

Thickness: 1,3 mm
Plates scale: 1/1




DTH-1370-61K

Grid Locking Plate 2,4mm - **LEFT**
Placa 2,4mm em rede com bloqueio - **esquerda**
Plaque 2,4mm de maille avec blocage - **gauche**
Placa de bloqueio malla 2,4mm - **izquierda**




DTH-1372-61K

Grid Locking Plate 2,4mm - **RIGHT**
Placa 2,4mm em rede com bloqueio - **direita**
Plaque 2,4mm de maille avec blocage - **droit**
Placa de bloqueio malla 2,4mm - **derecha**




DTH-1304-60K

Straight LCP* 2,4mm - 4 Holes
Placa 2,4mm reta LCP* - 4 furos
Plaque 2,4mm LCP* droite - 4 trous
Placa recta LCP* 2,4mm - 4 agujeros



DTH-1306-60K


Straight LCP* 2,4mm - 6 Holes
Placa 2,4mm reta LCP* - 6 furos
Plaque 2,4mm LCP* droite - 6 trous
Placa recta LCP* 2,4mm - 6 agujeros



DTH-1308-60K

Straight LCP* 2,4mm - 8 Holes
Placa 2,4mm reta LCP* - 8 furos
Plaque 2,4mm LCP* droite - 8 trous
Placa recta LCP* 2,4mm - 8 agujeros

*LCP: Local Compression Plate



SK-NCT06-824
for screws Ø 2,4 mm

2,4 BLADE

lâmina 2,4
lame 2,4
hoja 2,4



SK-2024-813


COUNTERSINK 2,0 + 2,4




SK-2400-800

SCREWDRIVER SLEEVE 2,4

Guia de parafuso 2,4
Guide de vis 2,4
Guía de tornillo 2,4



2,4mm



DRILLS
J-Latch connection

SK-2052-815
Ø 2,0 mm
52 mm stop

SK-2352-815
Ø 2,3 mm
52 mm stop



50 mm



30 mm

DRILLS
AO connection

SK-2030-814
Ø 2,0 mm
30 mm stop

SK-2050-814
Ø 2,0 mm
50 mm stop

SK-2350-814
Ø 2,3 mm
50 mm stop




50 mm

SCREW TAP
AO connection



SK-0024-835
Ø 2,4 mm



DAH-2400-801
Hand system 2,4 mm tray
(tray sold empty)

INSTRUMENTAL SET SYSTEM

Hand Sterilization Tray


DAH-0000-801



Screwdriver

Cabo de chave
Manche de tournevis
Destornillador

DA-NC-0019-820 - rotatory axis - AO connection
DA-C-0019-830 - fixed axis - AO connection



Bone Lever

Alavanca de osso
Lever d'os
Palanca de hueso

SK-0001-800 - 6 mm
SK-0002-800 - 8 mm



INSTRUMENTAL



Periosteal Lever

Alavanca periostal
Périosté levier
Palanca periostal

SK-0003-800 - 3 mm



Sharp Hook

Gancho cortante
Crochet tranchant
Gancho cortante

SK-0005-800



Plate Bender

Conformador de placas
Conformateur de plaque
Conformador de placas

SK-2428-800



Plate Holder

Fixador de placas
Fixateur de plaques
Fijador de placas

SK-0075-800 - 1,2 mm + 1,6 mm

SK-0077-800 - 2,0 mm + 2,4 mm



Plate Bender M3,5

Moldador de placas M3,5
Conformateur de plaques M3,5
Conformador de placas M3,5

SK-2422-800 - for plates 2,4 mm



2.4 Plate Cutters

Cisalhadores para placas 2.4
Coupe plaque 2.4
Cizalladores para placas 2.4

SK-1345-800 - right

SK-1355-800 - left

INSTRUMENTAL

Threaded Drill Guides

Guia de perfuração
Guide de perçage
Guía de perforación

- SK-1700-600 - for 1,2 mm plates
- SK-2700-600 - for 1,6 mm plates
- SK-3700-600 - for 2,0 mm plates
- SK-4700-600 - for 2,4 mm plates



Handle

Cabo
Poignée
Cabo

SK-2433-800

Concentric Drill Guides


Guia de perfuração concêntrico
Insert pour perçage concentrique
Guía de perforación concéntrico

- SK-1001-600 - \varnothing 1,0 mm
- SK-1301-600 - \varnothing 1,3 mm
- SK-1501-600 - \varnothing 1,5 mm
- SK-2001-600 - \varnothing 2,0 mm
- SK-2401-600 - \varnothing 2,4 mm

Excentric Drill Guides

Guia de perfuração excentrico
Insert pour perçage excentrique
Guía de perforación excéntrico

- SK-1003-600 - \varnothing 1,0 mm
- SK-1303-600 - \varnothing 1,3 mm
- SK-1503-600 - \varnothing 1,5 mm
- SK-2003-600 - \varnothing 2,0 mm
- SK-2403-600 - \varnothing 2,4 mm



Depth Gauges

Mecedor de profundidade
Calibre de profondeur
Mecedor de profundidad

- SK-0010-800 - for 1,2 & 1,6 mm
- SK-0011-800 - for 2,0 & 2,4 mm



Angled Tweeze

Pinça angulada
Pince Angulaire
Pinza Angulada

SK-0030-800






Diamond File
Lima de Diamante
Lime Diamantée
Lima de Diamante

SK-2475-800



Plate Bender Plier
Alicate para conformar placas
Pince pour former des plaques
Alicate para doblar placas

SK-0050-800



Reduction Forceps
Pinças de redução
Pince de réduction
Pinzas de reducción

SK-2427-800 - curved
SK-2424-800 - without teeth



Cutting Plier
Alicate cortador de placas
Plaques de pinces coupantes
Alicate de corte placas

SK-0098-800
for 1,2 mm, 1,6 mm & 2,0 mm





Embracing Life™

E-mail: delphos@delphosimplants.com
Tel.: +(351) 211 955 986
www.delphosimplants.com

Estrada Manuel Correia Lopes, Parque Empresarial Progresso, Armazém nº. 5,
2785-126 São Domingos de Rana / Portugal

Our medical devices have CE Marking under TÜV Rheinland Notified Body, and are subjected to rigorous testing and trials. Delphos QMS comply with all applicable standards requirements of ISO 13485.